



PYTHON Compac 8

Product information



PYTHON Compac 8 has been developed in cooperation with renowned crane manufacturers for the special requirements of electric overhead cranes. The rope provides highest breaking loads while preserving maximum fatigue resistance.

Fill factor: 0.71

Tolerance Ø: +2% to +4%

Part Code	Rope Diameter, mm	Tensile strength N/mm ²	Finish	Rope lay.	Min. Breaking force kN	Steel area mm ²	Lubrication	Weight kg/100m
103100804300591	8	2,160	Galvanized	sZ	66	-	A-1	31.5
103100803300591	8	2,160	Galvanized	zS	66	-	A-1	31.5
103100904300591	9	2,160	Galvanized	sZ	82	-	A-1	40
103100903300591	9	2,160	Galvanized	zS	82	-	A-1	40
103101104300591	11	2,160	Galvanized	sZ	123	-	A-1	60
103101103300591	11	2,160	Galvanized	zS	123	-	A-1	60
103101204300591	12	2,160	Galvanized	sZ	149	-	A-1	71
103101203300591	12	2,160	Galvanized	zS	149	-	A-1	71
103101304300591	13	2,160	Galvanized	sZ	167	-	A-1	81
103101303300591	13	2,160	Galvanized	zS	167	-	A-1	81
103101403300591	14	2,160	Galvanized	zS	194	-	A-1	94