



Wire Rope Clip Crosby G-450

Product information

Based on the catalog breaking strength of wire rope, Crosby wire rope clips have an efficiency rating of 80% for 3 mm through 22 mm sizes, and 90% for sizes 24 mm through 90 mm.

Features: Wire clips to secure and form a temporary termination on site.

Material: Steel

Marking: According to standard, ID code and Manufacturer's symbol

Finish: Galvanised

Standard: EN 13411-5

Note: All sizes except 68-72 mm and 85-90 mm meet the performance requirements of EN13411.

Part Code	Rope Ø range mm	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	Weight kg/100pc	Delivery time
121100700120	6-7	7.85	26.2	12.7	19.1	16.8	14.2	30.2	36.6	8.62	7
121100800120	8	9.65	35.1	19.1	22.4	18.3	17.5	33.3	42.9	12.7	7
121101000120	9-10	11.2	38.1	19.1	25.4	23.1	19.1	41.4	49.3	21.8	7
121101300120	11-13	0.5	1.88	1	1.19	1.13	0.88	1.91	2.28	80	7
121101500120	14-15	14.2	57	31.8	33.3	31	23.9	52.5	63.5	49.4	7
121102000120	18-20	15.7	70	36.6	38.1	35.8	26.9	57	72	64	3
121102200120	22	19.1	79	41.1	44.5	40.4	31.8	62	80.5	96	3
121103000120	28-30	19.1	98.5	51	51	48.5	31.8	71.5	91	128	7
121103600120	36	22.4	118	58.5	59.4	58.5	36.6	79.5	106	200	7
121104600120	44-46	28.7	146	70	77.5	74.5	46	97	134	424	3
121105200120	48-52	31.8	164	76	86	77	51	113	149	590	7
121106500120	62-65	31.8	195	87.5	105	93.5	51	119	168	862	7

Blueprint

