



## Master Link Grade 8

### Product information

For 1-and 2 leg slings.

**Material:** Quenched and tempered alloy steel grade 8.

**Marking:** Code and grade.

**Finish:** Painted.

**Warning:** Not to be heat treated.

**Safety factor:** 4:1

**Grade:** 8

Part Code	Code	WLL ton	Dim./Type	D mm	B mm	L mm	Weight kg	Delivery time
401100270080	13.B.6*	2.7	13.B.6*	13	60	115	0.4	3
401100410080	16.B.6*	4.1	16.B.6*	16	70	120	0.6	3
401100670080	20.B.6*	6.7	20.B.6*	20	82	150	1.1	3
401100820080	22.B.6*	8.2	22.B.6*	22	90	170	1.6	3
401101070080	25.B.6*	10.7	25.B.6*	25	103	190	2.3	3
401101290080	28.B.6*	12.9	28.B.6*	28	113.5	209	3.2	3
401101710080	32.B.6*	17.1	32.B.6*	32	140	270	5.3	3
401101910080	38.B.7	19.1	38.B.7	38	220	420	11	3
401102760080	45.B.7	27.6	45.B.7	45	250	470	17.5	3
401102810080	38.B.6	28.1	38.B.6	38	140	270	7.5	3
401103830080	45.B.6	38.3	45.B.6	45	170	320	12.5	3
401104500080	50.B.6	45	50.B.6	50	200	380	18	3
401106530080	60.B.6	65.3	60.B.6	60	220	430	30	3
401108440080	70.B.6	84.4	70.B.6	75	250	500	44	3

## Blueprint

